

ABOUT ELKAY

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fixtures, water coolers, drinking fountains and award-winning ezH2O® bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquartered in Oak Brook, Illinois, Elkay is American-owned and -operated.



Our drinking solutions are designed to meet or exceed your needs and specifications. Select from a wide variety of bottle filling stations, water coolers, drinking fountains, water dispensers and remote chillers that comply with adult or child ADA standards, as well as models that offer the added assurance of our WaterSentry® filters.

Bottle Filling Stations

We continue to expand our ezH2O bottle filling station offerings. This innovative and award-winning product line upholds our commitment to delivering clean water and sustainable design. It provides a rapid fill of drinking water to quench thirst and minimize plastic bottle waste in the environment.

Coolers and Fountains

Elkay water coolers and drinking fountains come in a variety of styles. From standard design to architectural SwirlFlo® fountains that feature sleek styling with a contoured oval basin, there is a model to meet the needs of every space and building design. Most units offer the option of our WaterSentry filters and our Flexi-Guard® Safety Bubblers. Flexi-Guard bubblers flex on impact and feature an antimicrobial agent that is infused into the bubbler for an extra level of security.









SENSOR ACTIVATION

Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).

ECOLOGICAL

Green Ticker™ informs user of number of 20 oz. plastic water bottles saved from waste.

LOCATION

Rated for indoor use.



ANTIMICROBIAL PROTECTION

Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.

EFFECTIVE FLOW

Real Drain System eliminates standing water.

SAFETY

Flexi-Guard® bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.

Energy Efficiency Comparison Chart*

*Based on the maximum amount of energy ("standard minimum energy factor") that a cooler uses to provide a specified gallons of chilled drinking water per hour as specified in CAN/CSA C-815.

Elkay GreenSpec® product submittal report June 17, 2008 180% 160% 140% 127% 120% Elkay Cooler Elkay Cooler Elkay Cooler Elkay Cooler

EZSG8L

SURFACE MOUNT

Can be used in locations with limited wall depth or in conjunction with a fountain or remote chiller.

Available with electric display and now available in a mechanically activated version with battery-powered green counter and visual filter monitor. Can be used in conjunction with a fountain or a remote chiller.



EZS8L





VRCGRN8

LZWSSMJO

LMASMB

EZWSSMJO









ARCHITECTURAL FOUNTAIN

The sleek design of our architectural fountains integrated with an EZH2O is ideal for office buildings and hospitals. Retrofits available to convert current bilevel SwirlFlo® and Soft Sides® architectural fountains into bottle fillers. Retrofits are also available on current refrigerated bi-level SwirlFlo® and Soft Sides® architectural fountains to incorporate a bottle filler.

Available in SwirlFlo® (pictured right) or Soft Sides®, refrigerated/nonrefrigerated or filtered/nonfiltered.









LZWSMD82K EZWAMD82K

LRPBM82K ERPBM82K

IN WALL UNITS

The EZH2O can be installed alone or along with architectural fountains. Flush with wall for a seamless look makes the these models ideal for office buildings or indoor recreational facilities. Product available to pair along with architectural units or with a remote chiller.

Available in filtered/non-filtered, refrigerated or non-refrigerated.



LZWSM82PK EZWSM82PK



ezH2O[®] Liv™ Built-in Filtered Water Dispenser





BOTTLES SAVED

Backlit LED Green Ticker™ counts the number of disposable singleuse plastic bottles served without the plastic bottle waste.



CHIC STYLING

Glass and brushed stainless steel design looks great in any room; interactive light brightens when dispensing water.

FILTERED WATER

NSF-certified filter reduces lead and other harmful contaminants. Filter status lights indicate when filter needs changing so you always know you are serving filtered water.



EASY INSTALLATION

Fits within the width and depth of two standard wall studs, near water and electrical. It includes a drip tray with optional drain connection; can connect into existing water line.

Ambient Water



LBWD00BKC (220v)

18" W x 28" H x 5-1/4" D (1-1/4" proud of wall)

Power: TBA Non-refrigerated Rated Watts: 25



LBWD00WHC (220v)

18" W x 28" H x 5-1/4" D (1-1/4" proud of wall)

Power: TBA

Non-refrigerated Rated Watts: 25

Chilled Water

Chilling capacity of 1.5 GPH of 50° F drinking water, based on 80° F inlet water and 90° F ambient.



LBWD06BKK (220v)

18" W x 20-1/2" H x 5-1/4" D (1-1/4" proud of wall)

Power: TBA

Chilling Option: 1.5 GPH

Rated Watts: 165



LBWD06WHK (220v)

18" W x 20-1/2" H x 5-1/4" D

(1-1/4" proud of wall)

Power: TBA

Chilling Option: 1.5 GPH

Rated Watts: 165



OUTDOOR BOTTLE FILLING STATIONS

Perfect for parks, golf courses, or pool areas. The outdoor bottle filling stations provide hydration on the go. Made of durable cold rolled steel and immersed in an E-Coat for the ultimate corrosion protection. Flexible configurability to meet any application with freeze resistant models available.

Available in 12 color options with textured finishes.



LK4420BF1UDB Shown in standard evergreen





WATERSENTRY® PLUS filters help reduce contaminants and lead for CLEANER, GREAT - TASTING drinking water.

Features & Benefits

- NSF and WQA certified to the following NSF International standards: NSF/ANSI 42 for chlorine, taste and odor, and particulate Class I reduction, and NSF/ANSI 53 for lead reduction.¹
- Reduces odors and discoloration from incoming water.
- 3,000-gallon capacity equates to more than 22,000 water bottles filled. ²
- Quick-Disconnect, 1/4 turn makes installation and replacement easy.
- Automatic inlet shut-off valve closes when filter is removed to minimize spills.
- Filter media is self-contained, providing a more sanitary replacement process.
- For use with Elkay [®] ezH2O[®] bottle filling stations.

How It Works

Radial flow-thru design provides more surface area for untreated water.

Spun polypropylene prefilter mesh prevents large, coarse sediment and particles from entering and clogging filter media.

High-grade filter is made with activated carbon and patented ATS lead-reduction media.





¹View the certification listings for our products online at NSF.org and WQA.org.

²Capacity may vary depending on local water conditions. Water bottle based on 16.9 ounces per bottle.

WATERSENTRY® PLUS FILTER

- 3,000 Gallon capacity*
- Quick, 1/4 turn for easy installation
- ANSI/NSF Standard 42 and 53
- · Available in 2 sets per packing

*Capacity may vary depending on local water conditions.



WATERSENTRY® PLUS FILTER

- 6,000 Gallon capacity*
- Quick, 1/4 turn for easy installation
- ANSI/NSF Standard 42 and 53
- Available in 2 sets per packing
- *Capacity may vary depending on local water conditions.



51300 C

WSF 600R-2PK

WATERSENTRY® PURE 3,000

- 3,000 Gallon capacity*
- Eliminates physical and biological contaminants
- NSF International Certified to ABNT NBR 16098

*Capacity may vary depending on local water conditions.



0000000376

35,000 GALLON BACTERIA WATER FILTRATION SYSTEM

- 35,000 Gallon capacity*
- · Reduces aerobic mesophilic bacteria
- · Can be used with external installations
- *Capacity may vary depending on local water conditions.

WSP 35000

35,000 GALLON REPLACEMENT FILTER

- Replacement Carbon Block Filter for the WSP35000
- Change filter every 12 months



WSP35000R

SENDIMENT FILTER REPLACEMENT

- Replacement Sediment Pre-Filter for the WSP35000
- Change filter every 12 months

WSP35000SR

Pre-Filtration Sediment Filter

- Media: 50µ Stainless Steel Screen.
- Removes sediment and sand.
- Digital display shows when it's time to clean.
- Flow Rate: 50 Lpm (13.2 Gallons/Min.) @ 0.2MPa.
- Product complies with NSF 61 for material safety.




EFP01-G-A





Elkay Whole House Water Solution

With more than a century of trusted experience in water treatment solutions, Elkay provides customers with safe, professionally-treated drinking water aimed to suit every possible household need. Clean water is sustainably available through the use of Elkay's products with innovative water purification technology, high efficiency and outstanding product quality.



Enjoy clean and safe drinking water with your family

Clean



Quick Connect Locking System

It is easy for users to install the filter cartridge, just insert and 1/4-turn the filter cartridge. The water automatically shuts off when filter cartridge is detached.



Vacuum Sealed Filter Cartridge

The vacuum seal prevents the filter from any secondary contamination during transportation and storage.

Efficient



Adapted high quality hollow fiber membrane



Traditional Hollow Fiber Membrane




Elkay Hollow Fiber Membrane

Enlarges the filtering area by increasing the number of filaments.

Utilizing an efficient hollow fiber membrane, the Elkay hollow fiber membrane is made up of smaller filaments than usual, thereby increasing the filtering area for better filtering efficiency and durability.


Long-lasting



The PP filter is characterized by its dense inside and loosening outside with better filtering capacity and durability.

Space-saving

SUPER THIN Slim body design, less space consumed.






Smart



- TDS Indicator, Filter Monitor instantly notifies the user when the filter needs to be replaced.
- LED touch-panel operation






ELKAY EXCLUSIVE COMPOUND FILTER TECHNOLOGY

Microporous Membrane Filter

The composite membrane material and design combine pre filtering and fine filtering capabilities for superior filtration. Contaminants are unable to pass through the membrane surface, thus removing up to 99%+ of dissolved salts (ions), VOCs, heavy metals, particles, organics, and bacteria from the water.

Graded Density Filter

The special gradient filter is characterized by its dense inside and loose outside with the high-flow filtering capacity, which removes further impurities such as rust, sand, worm



Coconut Shell Activated Carbon

Made through a series of carbonization, activation, and refined processing, the activated carbon has high-filtering efficiency and durability.



The adsorption area of ONE gram Coconut Shell Actived Carbon equals the area of a football field.






Our EZH2O bottle filling stations are manufactured in Savanna, IL USA.

eggs, etc.


RESIDENTIAL FILTRATION PRODUCT SELECTION GUIDE

Elkay provides customers with safe, professionally-treated drinking water aimed to suit every possible household need. Clean water is sustainably available through the use of Elkay's products with innovative water purification technology, high efficiency and outstanding product quality.



RESIDENTIAL FILTRATION REPLACEMENT SELECTION GUIDE


Elkay provides customers with safe, professionally-treated drinking water aimed to suit every possible household need. Clean water is sustainably available through the use of Elkay's products with innovative water purification technology, high efficiency and outstanding product quality.




For more information, please visit our website www.sanieuro.com



Internal water flow diagram









This advanced 3-Stage Water Filtration System provides your family with clean, safe, great tasting water. Our advanced technology Ultra Filtration Membrane removes many of the same impurities as an RO system with the exception of dissolved inorganic solids (ie - salts such as potassium and sodium) and VOCs - making it ideal for areas with low TDS water. Also, this system does not require a separate storage tank or electricity to operate.







ELKAY One-Take Inner Water Pipe

Traditional Inner Water Pipe

One-Take Inner Water Pipe

The once-shaping inner water pipe can efficiently avoid leaking and any secondary pollution.



Quick Connect Locking System

It is easy for users to install the filter cartridge, just insert and 1/4-turn the filter cartridge. The water automatically shuts off when filter cartridge is detached.




Filter Bottle Vacuum Design


The vacuum design prevents the filter from any secondary pollution in transportation, storage and installation.



Internal water flow diagram



Filtering level



ABOUT ELKAY

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fictures, water coolers, drinking fountains and award-winning ezH20 bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquatered in Oak Brook, Illinois, Elkay is American-owned and operated.

SANIEURO SDN BHD (0661733-V)

B-LG-1, Connaught Avenue, Jalan 9, Taman Bukit Cheras, 56000 Kuala Lumpur, Malaysia Whatsapp: +60123151961 Phone: +603 9108 2199 Fax: +603 9108 3199 Email: sales@sanieuro.com Web: www.sanieuro.com

NOVATEC SANITARYWARE LANKA (PVT) LTD No. 9, Chilaw Road, Negombo, Sri Lanka

Phone: +94 31 4936847 / 31 4936847 Fax: +94 31 2223535 Email: sales.lk@sanieuro.com sales.novateclanka@gmail.com

Web: www.sanieuro.com/lk

SANIEURO THAI CO., LTD

343/25-26 Thanon Klong Lam-Jiag Nuanchan, Buengkum Bangkok 10230, Thailand. Phone: +662 1053401 / 105 3409-10 Fax: +662 105 3400

Email: sales.th@sanieuro.com Web: www.sanieuro.com/th

SANIEURO MYANMAR CO., LTD

No.12, Room 7, Parami Road, Chaw Dwin Gone, Ma Yan Gone Township, 11061 Yangon, Myanmar. Phone: +959 450 33 5111 Office: +09 267 48 1770 Email: sales.mm@sanieuro.com Web: www.sanieuro.com/mm

APPOINTED DISTRIBUTOR



Contact Information

www.elkay.com/international Corporate Headquarters: 630.574.8484

Customer Service: 630.572.3192

2222 Camden Court Oak Brook, Illinois 60523







